




***** NOT PERMITTED IN NEW SUBDIVISION CONSTRUCTION**



BARRIER KERB & CHANNEL



ROLLOVER KERB & CHANNEL



VICROADS SM2 KERB & CHANNEL

* KERB ADAPTORS TO BE USED ONLY WHEN CONNECTIONS TO COUNCIL DRAINS WITHIN ROAD RESERVE IS NOT PRACTICABLE

NOTES:

1. ALL DIMENSIONS ARE IN MILLIMETRES UNLESS STATED OTHERWISE
2. A ROAD OPENING PERMIT IS REQUIRED FOR ALL CONNECTIONS TO KERBS
3. ALL PIPES ARE TO BE BEDDED ON 75mm COMPACTED DEPTH OF 20mm CLASS 2 CRUSHED ROCK OR QUARTER MINUS
4. ALL TRENCHES UNDER PAVING AND BEHIND THE KERB & CHANNEL ARE TO BE BACKFILLED WITH 20mm CLASS 2 CRUSHED ROCK COMPACTED IN 150mm LAYERS
5. EXISTING AGRICULTURAL DRAINS BEHIND KERB & CHANNEL ARE TO BE REINSTATED IF DAMAGED
6. HOUSE DRAIN MUST BE LAID AT A MINIMUM GRADE OF 1 IN 60 FROM KERB & CHANNEL TO ANY POINT WITHIN THE PROPERTY
7. KERB ADAPTOR TO BE INSTALLED IN ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS AND KERB MADE GOOD

AMENDMENTS	DATE		<p style="text-align: center;">HOUSE DRAIN CONNECTION TO KERB & CHANNEL</p> <p>MANAGER CIVIL DEVELOPMENT SERVICES</p> 	DRAWN BY:
ORIGINAL - WDA	8/97			DATE: JAN '07
UPDATED NOTES & DETAILS	1/07			SCALE: N.T.S.
				DRAWING NO.: SD / H2